



A Limited Liability Partnership Including Professional Corporations
6600 Sears Tower, Chicago, Illinois 60606-6473 • 312.258.5500
Facsimile 312.258.5600

RECEIVED
CENTRAL FAX CENTER

SEP 06 2006

ATTORNEY NO.: 1687
CLIENT/MATTER NO.: 26965-2495
DATE: March 2, 2006

FACSIMILE TRANSMITTAL SHEET

TO THE FOLLOWING:

Name	Company	Fax Number	Phone Number
BPAI Hearings	United States Patent and Trademark Office	1 571 273-0299 and 1 571-273-8300	1 571 272-9797

FROM: Steven H. Noll DIRECT DIAL NO.: 312.258.5790

Transmission consists of cover sheet plus 1 page(s).

If there are any problems with this transmission, please call Donna Morgan at (312) 258-4972.

COMMENTS:

Notice of Hearing Confirmation for

Boehler et al., "DIAGNOSTIC DEVICE WITH MOUSE-CONTROLLED SWITCHING AMONG DISPLAY CONTROL FUNCTIONS" Filed October 23, 2001, USSN 10/038,167, Our Case P01,00335 (26965-2446)

IMPORTANT - THIS MESSAGE IS INTENDED ONLY FOR THE USE OF THE INDIVIDUAL OR ENTITY TO WHICH IT IS ADDRESSED, AND MAY CONTAIN INFORMATION THAT IS PRIVILEGED, CONFIDENTIAL AND EXEMPT FROM DISCLOSURE UNDER APPLICABLE LAW. IF THE READER OF THIS MESSAGE IS NOT THE INTENDED RECIPIENT, OR THE EMPLOYEE OR AGENT RESPONSIBLE TO DELIVER IT TO THE INTENDED RECIPIENT, YOU ARE HEREBY NOTIFIED THAT READING, DISSEMINATING, DISTRIBUTING OR COPYING THIS COMMUNICATION IS STRICTLY PROHIBITED. IF YOU HAVE RECEIVED THIS COMMUNICATION IN ERROR, PLEASE IMMEDIATELY NOTIFY US BY TELEPHONE, AND RETURN THE ORIGINAL MESSAGE TO US AT THE ABOVE ADDRESS VIA THE U.S. POSTAL SERVICE. THANK YOU

(For Internal Use Only) PLEASE RETURN THIS DOCUMENT TO:

Name: Steven H. Noll
SENT OUT: _____
Date: _____ Time: _____ A.M./P.M.
By: _____
CH11 4233889.1

Transmittal Problems:

- ☐ Constant Busy
☐ Constant Ringing
☐ Bad Line
☐ Equipment Problem

Time

SEP 06 2006



UNITED STATES PATENT AND TRADEMARK OFFICE

Board of Patent Appeals and Interferences

MAILED

SEP 01 2006

U.S. PATENT AND TRADEMARK OFFICE
BOARD OF PATENT APPEALS
AND INTERFERENCES

BEST AVAILABLE COPY

SCHIFF HARDIN, LLP
PATENT DEPARTMENT
6600 SEARS TOWER
CHICAGO, IL 60606-6473Appeal No: 2006-2736
Appellant: Bert Boshler et al.
Application No: 10/038,167
Hearing Room: A
Hearing Docket: B
Hearing Date: Wednesday, October 18, 2006
Hearing Time: 01:00 PM
Location: Madison Building - East Wing
600 Dulany Street, 9th Floor
Alexandria, Virginia 22313-1450NOTICE OF HEARING
CONFIRMATION REQUIRED WITHIN TWENTY-ONE DAYS

Your attention is directed to 37 CFR § 41.47. The above identified appeal will be heard by the Board of Patent Appeals and Interferences on the date indicated. Hearings will commence at the time set and as soon as the argument in one appeal is concluded, the succeeding appeal will be taken up. The time allowed for argument is twenty minutes unless additional time is requested and permitted before the argument is commenced. If there are any inquiries, please contact the Clerk of the Board at 571-272-9797.

The application involved in this appeal has been published. Accordingly, the hearing in this appeal is open to the public.

CONFIRMATION OR WAIVER OF THE HEARING IS REQUIRED. This form must be completed below and facsimile transmitted to both: (1) the USPTO Central fax number (official copy), and (2) the Board of Patent Appeals and Interferences fax number (courtesy copy) within TWENTY-ONE (21) DAYS from the mailing date of this notice indicating confirmation or waiver of the hearing. A copy of this notice may be alternately filed by mail if facsimile is not available.

BPAI HEARINGS FAX No: (571) 273-0299

USPTO Central Fax No: (571) 273-8300

BPAI Mailing Address: Board of Patent Appeals and Interferences
United States Patent and Trademark Office
P.O. BOX 1450
Alexandria, Virginia 22313-1450

In all communications relating to this appeal, please identify the appeal by its number.

CHECK ONE: ☒ HEARING ATTENDANCE CONFIRMED () HEARING ATTENDANCE WAIVED

Signature of Attorney/Agent/Appellant

Date

Registration No.

Names of other visitors expected to accompany counsel:

NONE

For information on visitor access to hearing rooms and security procedures at the USPTO Alexandria Campus, see
http://www.uspto.gov/web/offices/com/counsel/contact.htm#bpa_contacts